Docket No. YOR920030378US1 (YOR.489)

**AMENDMENTS TO THE CLAIMS:** 

1. (Currently amended) A method of making an electronic interconnection, said method

comprising:

for a signal line to be interconnected, using a plurality of bonding wires configured to

provide a controlled impedance effect, wherein both a signal current and a return current are

conducted by said plurality of bonding wires.

2. (Previously presented) The method of claim 1, wherein said plurality of bonding wires is

configured such that a first bonding wire is located a predetermined distance above a second

bonding wire to provide at least a part of said controlled impedance effect.

3. (Previously presented) The method of claim 1, wherein said plurality of bonding wires is

configured such that a first bonding wire is located a predetermined distance alongside a second

bonding wire to provide at least a part of said controlled impedance effect.

4. (Original) The method of claim 1, wherein one of a first bonding wire and a second bonding

wire of said plurality of bonding wires is grounded.

5. (Previously presented) The method of claim 1, further comprising:

providing a dielectric material such that a predetermined distance is maintained by said

dielectric material separating a first bonding wire and a second bonding wire of said plurality of

bonding wires to provide at least a part of said controlled impedance effect.

2

Docket No. YOR920030378US1 (YOR.489)

- 6. (Original) The method of claim 5, wherein said dielectric material is periodically placed along a length of said plurality of bonding wires.
- 7. (Original) The method of claim 5, wherein said dielectric material is continuously placed along a length of said plurality of bonding wires.
- 8. (Original) The method of claim 5, wherein said dielectric material comprises an ultravioletcured epoxy.
- 9. (Original) The method of claim 3, wherein a third bonding wire is located a predetermined distance alongside said first bonding wire and said second bonding wire.
- 10. (Currently amended) The method of claim 1, further comprising: substantially simultaneously co-dispensing bonding wires of said plurality of bonding wires.
- 11. (Currently amended) The method of claim 1, further comprising:

substantially simultaneously co-dispensing said bonding wires in said plurality of bonding wires so that said bonding wires are separated by predetermined distances;

substantially simultaneously co-dispensing a dielectric material with said bonding wires, said dielectric material thereby maintaining said predetermined distances of said bonding wires.

Docket No. YOR920030378US1 (YOR.489)

- 12. (Previously presented) The method of claim 1, wherein said bonding wires of said signal line comprise a plurality of round bonding wires.
- 13. (Previously presented) The method of claim 1, wherein said bonding wires of said signal line comprise a plurality of ribbon bonding wires.
- 14. (Previously presented) The method of claim 1, wherein said bonding wires of said signal line comprise a combination of at least one round bonding wire and at least one ribbon wire.
- 15. (Original) The method of claim 1, wherein said plurality of bonding wires for said signal comprises a microstrip.
- 16. (Original) The method of claim 1, wherein said plurality of bonding wires for said signal comprises a coplanar waveguide.
- 17. (Original) The method of claim 1, wherein said signal comprises a single-ended signal.
- 18. (Original) The method of claim 1, wherein said signal comprises a differential signal.
- 19. (Original) The method of claim 5, wherein said dielectric material includes particles having a high dielectric constant.

Docket No. YOR920030378US1 (YOR.489)

20. (Original) The method of claim 19, wherein said particles comprise at least one of glass and ceramic.

- 21. (Original) The method of claim 19, wherein a spacing of intervals of said particles permits an effect of one of a filter and an impedance transformer.
- 22. (Original) The method of claim 6, wherein a spacing of said dielectric material permits an effect of one of a filter and an impedance transformer.
- 23. (Currently amended) A method of reducing high frequency parasitic effects in a chip transition, said method comprising:

for a signal in said transition, using a plurality of bonding wires configured to provide a controlled impedance effect, wherein both a signal current and a return current are conducted by said plurality of bonding wires.

24. (Currently amended) A method of fabricating an electronic component, said method comprising:

for a device in said electronic component, using a plurality of bonding wires configured to provide a controlled impedance effect for a signal line connecting to said device, wherein both a signal current and a return current are conducted by said plurality of bonding wires.

Serial No. 10/722,432 Docket No. YOR920030378US1 (YOR.489)

25. (Withdrawn) An electronic component comprising:

at least one signal line interconnected such that a plurality of bonding wires is configured to provide a controlled impedance effect for said signal line, wherein both a signal current and a return current are conducted by said plurality of bonding wires.

26. (Withdrawn) An electronic apparatus comprising:

at least one electronic component having at least one signal line interconnected in accordance with claim 25.

27. (Currently amended) A method of providing a signal from a chip, said method comprising:

for a signal of said chip, providing a controlled impedance signal line comprising a

plurality of bonding wires configured to be separated by a predetermined distance, wherein both

a signal current and a return current are conducted by said plurality of bonding wires.

- 28. (Original) The method of claim 27, wherein said controlled impedance is designed to be near in value to at least one of an impedance of a circuit of said chip and an impedance of a circuit to which said signal line is interconnecting said chip circuit.
- 29. (Original) The method of claim 28, wherein said predetermined distance is maintained by a dielectric material, said controlled impedance being determined by said predetermined distance and a dielectric constant of said dielectric material.

6

Docket No. YOR920030378US1 (YOR.489)

30. (Original) The method of claim 28, wherein said plurality of bonding wires are arranged in one of a microstrip configuration and a coplanar waveguide configuration.

- 31. (New) The method of claim 1, wherein both a signal current and a return current are conducted by said plurality of bonding wires.
- 32. (New) The method of claim 1, wherein said controlled impedance effect results from an electromagnetic coupling amongst the bonding wired in said plurality of bonding wires for said signal line.